## In the Claims:

Please cancel claims 1-29 and 33-38 without prejudice to later prosecution.

- 30. (Amended) [The] An immunoadhesin [of claim 29, further] comprising a polypeptide comprising an amino acid sequence of the EGF-like domain of SEQ ID NO:4, wherein the polypeptide binds to ErbB4 receptor and activates receptor tyrosine phosphorylation of the ErbB4 receptor.
- 31. (Amended) The immunoadhesin of claim [29] 30 wherein the immunoglobulin sequence is an immunoglobulin heavy chain constant domain sequence.
- 32. (Reiterated) The immunoadhesin of claim 31 wherein the immunoglobulin sequence is a constant domain sequence of an IgG-1, IgG-2 or IgG-3.

## Please add the following new claims:

- --39. The polypeptide of claim 30 encoded by a NRG3 nucleic acid open reading frame sequence in ATCC deposit 209156 (pLXSN.mNRG3). SEO 10 NO = 1 move , page 10 , fir 92
- 40. The polypeptide of claim 30 encoded by a NRG3 nucleic acid open reading frame sequence in ATCC deposit 209157 (pRK5.tk.neo.hNRG3B1).
- 41. The polypeptide of claim 30 encoded by a NRG3 nucleic acid open reading frame sequence in ATCC deposit 209155 (pRK5.tk.neo.hNRG3B2).
- 42. The polypeptide of claim 30 which is devoid of a cytoplasmic domain, or devoid of a transmembrane domain that can anchor the polypeptide in a cell membrane, or both.
- 43. The polypeptide of claim 30 unaccompanied by native glycosylation.

  New 11) 2 ---

 $O^2$